

# Macondimonas diazotrophica sp. nov. gen. nov.

Submitted by Rodriguez-R, Luis M

## Genus *Macondimonas*

### Etymology

[Ma.con.di.mo'nas] L. fem. n. *monas*, a unit, a monad; N.L. fem. n. *Macondimonas*, a monad from Macondo, Macondo Prospect, the site of DWH oil spill. Additionally, Macondo is a fictional town in *A Hundred Years of Solitude* by G. García Márquez. In the book, the town of Macondo has a rapid population growth, a period of economic prosperity, and then a rapid population fall, which is reminiscent of the ecologic pattern observed for this group upon crude-oil exposure

### Nomenclatural type

Species *Macondimonas diazotrophica*<sup>Ts</sup>

### Description

Members of this genus exhibit a coccobacilli morphology and a heterotrophic aerobic metabolism. No phototrophic, nor chemoautotrophic growth, or their corresponding genes in the genome were observed. The type species is *Macondimonas diazotrophica*.

### Classification

*Bacteria* » *Pseudomonadota* » *Gammaproteobacteria* » *Chromatiales* » *Ectothiorhodospiraceae* » *Macondimonas*

### References

Effective publication: Karthikeyan et al., 2019 [1]

### Registry URL

<https://seqco.de/i:514>

## Species *Macondimonas diazotrophica*<sup>Ts</sup>

### Etymology

[di.a.zo.tro'phi.ca] Gr. pref. *di-*, in two; N.L. neut. n. *azotum*, from Fr. n. azote (from Gr. prep. *a*, not; Gr. n. *zôê*, life; N.Gr. n. *azôê*, not sustaining life), nitrogen; N.L. pref. *diazo-*, pertaining to dinitrogen; Gr. adj. *trophikos -ê -on*, feeding, tending; N.L. fem. adj. *diazotrophica*, one that feeds on dinitrogen, named after its ability to fix atmospheric nitrogen

### Nomenclatural type

[NCBI Assembly: GCF\\_004684205.1](#)<sup>Ts</sup>

### Description

Cells grown on solidified mineral artificial seawater media using hexadecane as substrate show a coccobacillus morphology, of about 0.6 µm in length and 0.35 µm in width, and formed circular colonies. Members of the species are aerobes, growing at a pH range of 6.5–8.5 with a pH optimum of 7.5, and a salinity range of 250–500 mM of NaCl, with an optimum concentration of 330 mM. The temperature range for optimal growth is 22–30 °C, with no growth observed at 4 °C and above 34 °C. Cells can grow with hexadecane and pyruvate as a sole carbon sources and fix nitrogen. Genome size is ~2.8 Mbp with a G+C% content of 61.56. The designated type material is strain KTK01, and its genome sequence can be found under NCBI BioSample accession number SAMN11302943.

### Classification

*Bacteria* » *Pseudomonadota* » *Gammaproteobacteria* » *Chromatiales* » *Ectothiorhodospiraceae* » *Macondimonas* » *Macondimonas diazotrophica*<sup>Ts</sup>

### References

Effective publication: Karthikeyan et al., 2019 [1]

**Registry URL**<https://seqco.de/i:277>**References**

1. Karthikeyan et al. (2019). "Candidatus Macondimonas diazotrophica", a novel gammaproteobacterial genus dominating crude-oil-contaminated coastal sediments. *The ISME Journal*. DOI:[10.1038/s41396-019-0400-5](https://doi.org/10.1038/s41396-019-0400-5)

**Register List Certificate of Validation**

On behalf of the *Committee on the Systematics of Prokaryotes Described from Sequence Data* (SeqCode Committee), we hereby certify that the Register List [seqco.de/r:6ns\\_rdob](https://seqco.de/r:6ns_rdob) submitted by **Rodriguez-R, Luis M** and including 2 new names has been successfully validated.

**Date of Priority:** 2022-04-19 11:06 UTC

**DOI:** 10.57973/seqcode.r:6ns\_rdob

