

# Register list for 18 new names including *Enterococcus mansoni* sp. nov.

Submitted by Manson, Abigail

Table 1: Complete list of names proposed in the current register list.

Proposed Taxon	Etymology	Description	Parent Taxon	Type	Registry URL
Species <i>Enterococcus mansonii</i>	[man.so'ni.i] N.L. gen. n. <i>mansonii</i> , of Manson, named for Joseph R. Manson who contributed greatly to sampling efforts	Type strain isolated from turkey feces	<i>Enterococcus</i>	NCBI Assembly: GCA_002140715.1 Ts	<a href="https://seqco.de/i:32885">seqco.de/i:32885</a>
Species <i>Enterococcus ikei</i>	[i.ke'i] N.L. gen. n. <i>ikei</i> , of Ike, named after Yasu Ike, for contributions to enterococcal biology	Type strain isolated from a captive moth	<i>Enterococcus</i>	NCBI Assembly: GCA_017316105.1 Ts	<a href="https://seqco.de/i:32888">seqco.de/i:32888</a>
Species <i>Enterococcus myersii</i>	[my.er'si.i] N.L. gen. n. <i>myersii</i> , of Myers, named for Gib Myers for his work in nature and wildlife preservation	Type strain isolated from aquarium water	<i>Enterococcus</i>	NCBI Assembly: GCA_017316025.1 Ts	<a href="https://seqco.de/i:32899">seqco.de/i:32899</a>
Species <i>Enterococcus leclercqii</i>	[le.clerc'qi.i] N.L. gen. n. <i>leclercqii</i> , of Leclercq, named for Roland Leclercq for his fundamental contributions to <i>Enterococcus</i> biology	Type strain isolated from chicken feces	<i>Enterococcus</i>	NCBI Assembly: GCA_009933135.1 Ts	<a href="https://seqco.de/i:32898">seqco.de/i:32898</a>
Species <i>Enterococcus ferrettii</i>	[fer.re.tti'i] N.L. gen. n. <i>ferrettii</i> , of Ferretti, named after Joseph J. Ferretti for his fundamental contributions to streptococcal and enterococcal biology	Type strain isolated from Kemp's Ridley sea turtle	<i>Enterococcus</i>	NCBI Assembly: GCA_017377655.1 Ts	<a href="https://seqco.de/i:32896">seqco.de/i:32896</a>
Species <i>Enterococcus wittei</i>	[wi.tte'i] N.L. gen. n. <i>wittei</i> , of Witte, named after Wolfgang Witte for his fundamental contributions to <i>Enterococcus</i> biology	Type strain isolated from chicken feces	<i>Enterococcus</i>	NCBI Assembly: GCA_002140175.1 Ts	<a href="https://seqco.de/i:32893">seqco.de/i:32893</a>
Species <i>Enterococcus courvalinii</i>	[cour.va.li'ni.i] N.L. gen. n. <i>courvalinii</i> , of Courvalin, named for Patrice Courvalin for his contributions to <i>Enterococcus</i> biology	Type strain isolated from a cockroach	<i>Enterococcus</i>	NCBI Assembly: GCA_017315945.1 Ts	<a href="https://seqco.de/i:32892">seqco.de/i:32892</a>
Species <i>Enterococcus palustris</i>	[pa.lus'tris] N.L. masc. adj. <i>palustris</i> , marshy or swampy, to refer to the recovery of this organism from a swampy area	Type strain isolated from dragonfly inhabiting a swampy area	<i>Enterococcus</i>	NCBI Assembly: GCA_002141365.1 Ts	<a href="https://seqco.de/i:32890">seqco.de/i:32890</a>

Proposed Taxon	Etymology	Description	Parent Taxon	Type	Registry URL
Species <i>Enterococcus dunnyi</i>	[dun.ny'i] N.L. gen. n. <i>dunnyi</i> , of Dunny, named after Gary M. Dunny for his contributions to Enterococcal biology	Type strain isolated from a ground beetle	<i>Enterococcus</i>	NCBI Assembly: GCA_002174455.1 Ts	<a href="https://seqco.de/i:32886">seqco.de/i:32886</a>
Species <i>Enterococcus huntleyi</i>	[hunt'ley.i] N.L. gen. n. <i>huntleyi</i> , of Huntley, named for the Huntley family of Montana for their contributions of samples and in support of this study	Type strain isolated from chicken feces	<i>Enterococcus</i>	NCBI Assembly: GCA_009933175.1 Ts	<a href="https://seqco.de/i:32891">seqco.de/i:32891</a>
Species <i>Enterococcus mangumiae</i>	[man.gu'mi.ae] N.L. gen. n. <i>mangumiae</i> , of Mangum, named for Stephanie B. Mangum for her support of enterococcal research	Type strain isolated from a butterfly	<i>Enterococcus</i>	NCBI Assembly: GCA_017316305.1 Ts	<a href="https://seqco.de/i:32894">seqco.de/i:32894</a>
Species <i>Enterococcus moelleringii</i>	[moel.le.rin'gi.i] N.L. gen. n. <i>moelleringii</i> , of Moellering, named for Robert C. Moellering for his fundamental contributions to Enterococcus biology	Type strain isolated from a Kemp's Ridley sea turtle	<i>Enterococcus</i>	NCBI Assembly: GCA_017377575.1 Ts	<a href="https://seqco.de/i:32895">seqco.de/i:32895</a>
Species <i>Enterococcus murrayae</i>	[mur.ra.y'ae] N.L. gen. n. <i>murrayae</i> , of Murray, named after Barbara E. Murray for her fundamental contributions to Enterococcus biology	Type strain isolated from a Kemp's Ridley sea turtle	<i>Enterococcus</i>	NCBI Assembly: GCA_017315985.1 Ts	<a href="https://seqco.de/i:32897">seqco.de/i:32897</a>
Species <i>Enterococcus testudinis</i>	[tes.tu.di'nis] N.L. gen. n. <i>testudinis</i> , of testudo, to refer to recovery of this organism from a sea turtle	Type strain isolated from a turtle	<i>Enterococcus</i>	NCBI Assembly: GCA_002140915.1 Ts	<a href="https://seqco.de/i:32900">seqco.de/i:32900</a>
Species <i>Enterococcus lowellii</i>	[lo.wel'li.i] N.L. gen. n. <i>lowellii</i> , of Lowell, named for Lowell House at Harvard University	Type strain isolated from salmon crested cockatoo	<i>Enterococcus</i>	NCBI Assembly: GCA_017426705.1 Ts	<a href="https://seqco.de/i:32901">seqco.de/i:32901</a>
Species <i>Enterococcus willemsii</i>	[wil.lem'si.i] N.L. gen. n. <i>willemsii</i> , of Willems, named for Rob J. L. Willems for his fundamental contributions to Enterococcus biology	Type strain isolated from chicken feces	<i>Enterococcus</i>	NCBI Assembly: GCA_009933335.1 Ts	<a href="https://seqco.de/i:32902">seqco.de/i:32902</a>
Species <i>Enterococcus lemimoniae</i>	[le.mi.mo'ni.ae] N.L. gen. n. <i>lemimoniae</i> , of Lemimo, named for the Molecular Epidemiology and Microbiology Laboratory (LEMiMo) of the University of São Paulo's São Carlos Institute of Physics.	Type strain isolated from a moth	<i>Enterococcus</i>	NCBI Assembly: GCA_002148425.1 Ts	<a href="https://seqco.de/i:32889">seqco.de/i:32889</a>

Proposed Taxon	Etymology	Description	Parent Taxon	Type	Registry URL
Species <i>Enterococcus clewellii</i>	[cle.wel'li.i] <b>N.L. gen. n. <i>clewellii</i></b> , of Clewell, named for Don B. Clewell for contributions to enterococcal biology	Type strain was isolated from a cockroach.	<i>Enterococcus</i>	NCBI Assembly: GCA_002140975.1 Ts	<a href="https://seqco.de/i:32882">seqco.de/i:32882</a>
Species <i>Vagococcus giribetii</i>	[gi.ri.bet'i.i] <b>N.L. gen. n. <i>giribetii</i></b> , of Giribet, named for Gonzalo Giribet for his contributions to invertebrate zoology and to this study	Type strain isolated from a harbor porpoise infection	<i>Vagococcus</i>	NCBI Assembly: GCA_017316185.1 Ts	<a href="https://seqco.de/i:32958">seqco.de/i:32958</a>