

Species *Hydrothermarchaeum profundis*

Etymology

[pro.fun'di] L. gen. n. *profundi*, of/from the depth of the sea

Nomenclatural type

[NCBI Assembly: GCA_002011125.1](#) ^{Ts}

Description

The organism was formerly identified as JdFR-18 in the hydrothermal fluid from Juan de Fuca Ridge by Jungbluth et al. (2017) Sci. Data 4, 170037. doi: 10.1038/sdata.2017.37. An annotation of the genome is provided in the same original study. Metabolic capabilities inferred from the genome reveal a thermophilic carboxydrotroph capable of chemotaxis and motility. The organism appears to be capable of anaerobic respiration with sulfate serving as a terminal electron acceptor.

Classification

Archaea » "Hydrothermarchaeota" » *Hydrothermarchaeia* » *Hydrothermarchaeales* » *Hydrothermarchaeaceae* » *Hydrothermarchaeum* » *Hydrothermarchaeum profundis*

References

Effective publication: Chuvochina et al., 2019 [1]

Registry URL

<https://seqco.de/j:31421>

References

1. Chuvochina et al. (2019). The importance of designating type material for uncultured taxa. *Systematic and Applied Microbiology*. DOI:[10.1016/j.syapm.2018.07.003](https://doi.org/10.1016/j.syapm.2018.07.003)