

Hepatoplasma crinochetorum sp. nov. and Hepatoplasma gen. nov.

Submitted by Chuvochina, Maria

Table 1: Complete list of names proposed in the current register list.

Proposed Taxon	Etymology	Description	Parent Taxon	Type	Registry URL
Genus <i>Hepatoplasma</i>	[He.pa.to.plas'ma] Gr. n. <i>hepar, hepatos</i> , liver; Gr. neut. n. <i>plasma</i> , anything formed or moulded, image, figure; N.L. neut. n. <i>Hepatoplasma</i> , a form from the liver	The description is the same as given to the type species by Wang et al. (2004).	<i>Hepatoplasmataceae</i>	<i>Hepatoplasma crinochetorum</i> ^{Ts}	seqco.de/i:23995
Species <i>Hepatoplasma crinochetorum</i> ^{Ts}	[cri.no.che.to'rum] N.L. gen. pl. n. <i>crinochetorum</i> , of isopods (Crinocheta)	Wang et al., 2004: spherical cells (diameter, 0.5 to 0.8 µm); no cell wall and outer membrane; forms stalk-like cytoplasmic appendages at one or two cell poles that attach to host epithelia or are involved in budding. Basis of assignment: 16S ribosomal DNA sequences (accession numbers AY500249 and AY500250), hybridization with 16S rRNA-targeted oligonucleotide probe (5'-GTG AAA AAT TCC CTA CTG CTG-3'). Symbiont of <i>P. scaber</i> and other terrestrial isopods belonging to the taxon Crinocheta, located exclusively in the lumen of the hepatopancreas; so far uncultivated.	<i>Hepatoplasma</i>	NCBI Assembly: GCA_000582535.1 ^{Ts}	seqco.de/i:83